

LOUISIANA RENTS



**Right Tools.
Right Place.
Right Now.**



Louisiana Rents



RENTAL PRODUCTS

SKID STEER LOADERS



Model	Net Pwr.	Op. Wt.	Oper. Cap.
Cat 236	74.3 hp	6,559 lbs	1,800 lbs
Cat 246	73 hp	7,424 lbs	2,150 lbs

Note: Attachment Options: Hydraulic Hammers, Pallet Forks, Grapple Bkts., Brooms, etc.

COMPACT TRACK LOADERS



Model	Net Pwr.	Op. Wt.	Oper. Cap.	Gr. Press.
Cat 259	73.2 hp	8,945 lbs	2,900 lbs	4.8 psi
Cat 279	72.9 hp	9,893 lbs	2,935 lbs	4.4 psi
Cat 289	72.9 hp	10,533 lbs	3,800 lbs	4.6 psi
Cat 299	95 hp	10,718 lbs	4,250 lbs	4.4 psi
Cat 299 XHP	106 hp	11,612 lbs	4,650 lbs	5.3 psi

Note: Attachment Options: Hydraulic Hammers, Pallet Forks, Grapple Bkts., Brooms, etc.

BACKHOE LOADERS



Model	Net Pwr	Op. Wt.	Dig. Depth
Cat 415	68 hp	15,207 lbs	14' 3"
Cat 416	88 hp	14,960 lbs	14' 4"
Cat 420	93 hp	15,395 lbs	14' 4"

Note: Backhoe Loaders available w/Hydraulic Hammers, E-Stick, AWD, IT, etc.

WHEEL LOADERS



Model	Net Pwr.	Op. Wt.	Bkt. Cap. yd ³
Cat 907	69 hp	12,809 lbs	1.6
Cat 914	96 hp	17,910 lbs	1.57 - 1.8
Cat 924	142 hp	28,360 lbs	2.5
Cat 930	156 hp	30,479 lbs	3.24
Cat 938	170 hp	35,104 lbs	3.5
Cat 950	230 hp	42,811 lbs	4.0
Cat 966	278 hp	51,080 lbs	5.0
Cat 972	300 hp	54,930 lbs	5.0
Cat 980	386 hp	66,200 lbs	6.5

LONG REACH EXCAVATORS































Model	Net Pwr.	Op. Wt.	Max. Reach/Depth
Cat 320 LR	153 hp	58,500 lbs	51'6" / 38' 4"
Cat 323 LR	161 hp	61,500 lbs	51'6" / 38' 4"
Cat 324 LR	194 hp	63,200 lbs	60'4" / 48' 2"
Cat 326 LR	203 hp	64,831 lbs	60'4" / 48' 2"
Cat 329 LR	232 hp	81,520 lbs	60'4" / 48' 2"

T = Technology Enabled   details on back page

EXCAVATORS














Model	T	Net Pwr.	Op. Wt.	Max. Reach/Depth
Cat 312	 	90 hp	29,430 lbs	28'3" / 19'10"
Cat 313	 	70 hp	29,300 lbs	28'3" / 19' 9"
Cat 314 CR	 	89 hp	32,600 lbs	28'6" / 19'6"
Cat 316	 	113 hp	38,801 lbs	30'5" / 21'7"
Cat 320	 	153 hp	48,940 lbs	35'0" / 24'10"
Cat 320 RR	 	152 hp	53,790 lbs	32'4" / 21'1"
Cat 321 L CR	 	148 hp	53,704 lbs	32'1" / 22' 0"
Cat 323	 	161 hp	56,000 lbs	32'4" / 22'1"
Cat 324	 	194 hp	64,900 lbs	33'2" / 22'4"
Cat 326	 	203 hp	56,580 lbs	33'2" / 22'4"
Cat 328 DL CR	 	204 hp	76,500 lbs	34'8" / 22'8"
Cat 329	 	232 hp	69,958 lbs	35' / 23'9"
Cat 336	 	303 hp	86,600 lbs	38'5" / 26'10"
Cat 349	 	396 hp	116,600 lbs	42'6" / 29'4"

Note: Excavator Attachment Options: Mechanical and Hydraulic Thumbs, Hydraulic Hammer, Accugrade / GPS, etc., on most models.

T = Technology Enabled   details on back page

DOZERS (TTT)



Model	T	Pwr.	Op. Wt.	Blade
Cat D3K LGP	 	80 hp	18,525 lbs	VPAT
Cat D4K LGP	 	92 hp	18,761 lbs	VPAT
Cat D5K LGP	 	104 hp	21,266 lbs	VPAT
Cat D6K LGP		130 hp	30,750 lbs	VPAT
Cat D6N LGP		150 hp	39,895 lbs	VPAT
Cat D6T XW		207 hp	46,263 lbs	SU
Cat D6T LGP		207 hp	53,651 lbs	S
Cat D6T LGP VP		207 hp	53,651 lbs	VPAT

Note: Track-Type Tractor available options: Winch, Canopy, Cab Air, Accugrade & GPS, etc.

TELESCOPIC HANDLERS



Model	Net Pwr.	Op. Wt.	Rated Cap.	Lift Ht.
Cat TH255	74 hp	11,000 lbs	5,500 lbs	18'4"
Cat TH407	92.6 hp	17,507 lbs	7,275 lbs	24'0"
Cat TL642	100.6 hp	21,245 lbs	6,500 lbs	42' 0"
Cat TL943	111.3 hp	27,125 lbs	9,000 lbs	43' 0"
Cat TL1055	142 hp	34,160 lbs	10,000 lbs	55' 1"
Cat TH514	101 hp	24,890 lbs	11,021 lbs	44' 9"
Cat TL1255	142 hp	35,860 lbs	12,000 lbs	54' 3"

COMPACT EXCAVATORS



Model	Net Pwr.	Op. Wt.	Max. Reach/Depth
Cat 300.9	13 hp	2,060 lbs	9'9" / 5'6"
Cat 301.7 CR	17.7 hp	3,726 lbs	12'2" / 7'7"
Cat 302.4 D	17.7 hp	5,115 lbs	13'2" / 7'9"
Cat 303 CR	23.5 hp	7,782 lbs	16' / 9'
Cat 303.5 CR	31.6 hp	8,139 lbs	16'6" / 10'4"
Cat 304 CR	40.2 hp	8,838 lbs	16'8" / 11'3"
Cat 305 CR	40.2 hp	11,217 lbs	17'10" / 12'1"
Cat 305.5 CR	44.2 hp	11,938 lbs	18'4" / 12'8"
Cat 308 CR SB	65 hp	18,519 lbs	22'11" / 15'5"

ARTICULATED TRUCK



Model	Net Pwr.	Op. Wt. (empty)	Body Cap.
Hydrema 912HM	131 hp	19,500 lbs	7.3 yd ³
Hydrema 922	264 hp	36,200 lbs	15.7 yd ³
Cat 725	316 hp	51,191 lbs	26 tons
Cat 730	370 hp	53,131 lbs	31 tons
Cat 740	484 hp	75,967 lbs	43.5 tons

PNEUMATIC TIRED COMPACTORS

Model	Net Pwr.	Op. Wt.	Rolling Width
Cat CW14	102 hp	38,000 lbs	68"

VIBRATORY SOIL COMPACTORS - SMOOTH



Model	Gross Pwr.	Op. Wt.	Drum Width
Cat CS34	74hp	9,799 lbs	50"
Cat CS44	100 hp	15,961 lbs	66"
Cat CS54	131 hp	23,265 lbs	84"
Cat CS56	157 hp	25,346 lbs	84"

VIBRATORY COMPACTORS - SINGLE DRUM, PADDED



Model	Gross Pwr.	Op. Wt.	Drum Width
Cat CP34 with leveling blade	74 hp	11,000 lbs	50"
Cat CP44	100 hp	16,832 lbs	66"
Cat CP54	131 hp	24,539 lbs	84"
Cat CP56	157 hp	25,707 lbs	84"

ASPHALT COMPACTORS





Model	Gross Pwr.	Op. Wt.	Drum Width
Cat CB22	36.2 hp	5,629 lbs	39"
Cat CB24	36.2 hp	6,003 lbs	47"
Cat CB34	48.8 hp	8,155 lbs	51"
Cat CB-434	83 hp	16,270 lbs	59"
Cat CB-434 XW	83 hp	16,711 lbs	67"
Cat CB44	100 hp	19,224 lbs	59"
Cat CB54	131 hp	22,564 lbs	67"

T = Technology Enabled   details on back page

MOTOR GRADERS



Model	T	Net Pwr.	Op. Wt.	Blade Length
Cat 12M3		179 hp	42,646 lbs	14'
Cat 140M		200 hp	43,949 lbs	14'

AIR COMPRESSORS

Model	Duty Cycle	CFM	Engine Make	Unit Wt.
Atlas Copco	100 psi	185	Cat 2.2	2,300 lbs
Sullivan Palatek DF375PDJD	150 psi	375	JD	3,400 lbs
Atlas Copco	150 psi	400	Cat C4.4	4,045 lbs

(800) 766-4070

RENTAL PRODUCTS

BROOMS



Model	HorsePwr.	Rotation Speed	Travel Speed	Broom Width
BB-250 Broce Broom	33 hp	192 RPM	0-10	8'
CR-350 Broce Broom	80 hp	250 RPM	0-12	8'

Note: CR-350 broom sweepers are available with or without front blade.

TRENCHERS



Model	HorsePwr.	Max Dig Depth	Op. Wt.
Ditch Witch RT16 Walk Behind	16 hp	36"	1,020 lbs
Ditch Witch RT45 Ride-On	39 hp	63"	4,200 lbs

GENERATORS



Model	Engine	Watts Max / Cont	Voltage	HP/(kW)	Op. Wt.
MultiQuip	Honda GA6HA	6000/5000	120V/240V	9.5(7.1)	194 lbs

WATER TRUCKS



Model	Tank Size
Diesel Water Truck	2,000 gal. Tank 3,500 gal. Tank 4,000 gal. Tank
Cat 740 Off Road Truck	5,000 gal. Tank

MATERIAL LIFTS



Model	Wk Ht.	Load Capacities
Genie SLC-12	12'	650 lbs. (14" load center), 425 lbs. (24" load center), 180 lbs. (42" load center)

AERIAL WORK PLATFORMS - PERSONAL LIFTS



Model	Wk Ht.	Lift Capacity	Weight
Genie AWP-40S	40'	300 lbs	1,040 - 1,130 lbs

MANLIFTS - TOWABLE BOOMS

Model	Wk Ht.	Plf. Ht.	Horizontal Reach	Lft. Cap.	Weight
Genie TZ34	40'	34'	18' 4"	500 lbs	3,155 lbs
Genie TZ50	55' 6"	49' 6"	29' 2"	500 lbs	4,400 lbs

MANLIFTS - STRAIGHT BOOMS



Model	Plf. Ht.	Whlbase Width	Lft. Cap.	Unit Wt.
Genie S40	40'	7' 3"	500 lbs	12,320 lbs
JLG 400S	40'	7' 8"	500 lbs	13,425 lbs
Genie S45	45'	7' 3"	500 lbs	14,790 lbs
JLG 460SJ	46'	7' 7"	500 lbs	16,370 lbs
Genie S60	60'	8' 3"	500 lbs	20,740 lbs
JLG 600S	60'	8' 1"	500 lbs	21,800 lbs
Genie S65	65'	9'	500 lbs	28,400 lbs
JLG 660SJ	66' 8"	8' 1"	500 lbs	26,650 lbs
Genie S80X	80'	9' 4"	500 lbs	35,500 lbs
JLG 800S	80'	10'	500 lbs	33,200 lbs
Genie S85	85'	9' 4"	500 lbs	38,000 lbs
JLG 860SJ	86'	10'	500 lbs	36,400 lbs
JLG 1200 SJP	120'	12' 6"	500 lbs	40,900 lbs
Genie S125	125'	12'	500 lbs	44,340 lbs

Note: All Models are Diesel, 4WD units.

MANLIFTS - ARTICULATING BOOMS



Model	Plf. Ht.	Whlbase Width	Lft. Cap.	Unit Wt.
Genie Z-40/23 N	40' 5"	6' 5"	500 lbs	15,230 lbs
Genie Z-45	45' 10"	6' 8"	500 lbs	13,400 lbs
JLG 450AJ	45'	6' 6"	500 lbs	16,000 lbs
Genie Z-60	60' 4"	8' 3"	500 lbs	22,520 lbs
JLG 600AJ	60' 7"	8' 0"	500 lbs	23,050 lbs
Genie Z-80	78'	9' 4"	500 lbs	37,500 lbs
JLG 800AJ	80'	10'	500 lbs	34,300 lbs

Note: All Models are Diesel, 4WD units.



ELECTRIC SCISSOR LIFTS

Model	Plf. Ht.	Whlbase Width	Lft. Cap.	Unit Wt.
Genie GS1930	19'	4' 4"	500 lbs	2,702 lbs
JLG 1930ES	18' 9"	5' 3"	500 lbs	2,750 lbs
JLG 2630ES	25' 6"	6' 2"	500 lbs	4,750 lbs
Genie GS2632	26'	6'	500 lbs	5,520 lbs
Genie GS3232	32'	6' 1"	500 lbs	5,185 lbs
Genie GS3246	32'	6' 2"	700 lbs	5,211 lbs
JLG 3246ES	31' 9"	6' 10"	700 lbs	4,780 lbs

PNEUMATIC BREAKERS - AIR

Model	Bore Dia.	Stroke
American Pneumatic MT160	2-1/4"	4-1/8"
American Pneumatic MT190	2-5/8"	6-1/8"

FORK LIFTS



Model	Car.Width	Max. Fork Elev.	Forks	Weight
Clark C25	44"	189"	42"	5,000 lbs
Mitsubishi FG 25N-LE	39.5"	163"	36"	5,000 lbs
Master Craft C-18-974	60"	292"	48"	8,000 lbs

TRENCH ROLLERS



Model	Centrifugal Force LBS	Drum Width	HP	Op. Wt.
Wacker RTx	15,377 lbs	22"-32"	18.6	3,300 lbs
Bomag BMP 8500	8,000 lbs/ 16,000 lbs	24"-33.5" (flex drum)	19.4	3,517 lbs

WELDERS



Model	Amps	Engine
Lincoln K2453-31	300	Kubota V1505 Ready Pack 2



LIGHT TOWERS

Model	Wattage	kW	Tower Ht.
Allmand NL Pro II	4-1250 Watt Lamps	8kW	30'
Magnum MLT3060	4-1000 Watt Lights	6 kW	30'



PUMPS

Model	Discharge In	Voltage	HP	Wt.
Submersible Pump MultiQuip ST2037	2	120	1.0	31 lbs

Model	Suction x Discharge In	GPM	HP	Wt.
Centrifugal Pump MultiQuip QP2H	2x2	158	3.5	53 lbs
Centrifugal Pump MultiQuip QP303H	3x3	245	4.8	77 lbs

Model	Suction x Discharge In	GPM	HP	Wt.
Trash Pump MultiQuip QP2TH	2x2	211	4.8	97 lbs
Trash Pump MultiQuip QP3TH	3x3	396	7.1	163 lbs
Trash Pump MultiQuip QP4TH	4x4	555	10.7	216 lbs

RAMMERS & PLATE COMPACTORS



Model	Impact Force Lbs	Engine	HP	Op. Wt
MultiQuip MTX70 Rammer	3,350 lbs	Honda GX100	2.8	165 lbs
MultiQuip MVC88VGHWH Plate Compactor	3,450 lbs	Honda GX160	4.8	218 lbs

UTILITY VEHICLES



Make	Drive	Fuel	Capacity
Polaris	4WD	Gas	2-Seater
Polaris	4WD	Diesel	2-Seater
Polaris	4WD	Gas	4-Seater
Polaris	4WD	Diesel	4-Seater

RENTAL PRODUCTS

CONCRETE EQUIPMENT

Model	Cap. Cu. Ft.	Drum Opening	Engine	HP
MultiQuip MC94SH8 Concrete Mixer	9	21	Honda	7.1
	Voltage	Amps	RPM	Wt.
MultiQuip CV2 Concrete Vibrator (with 10' Shaft & 2" Head)	120V	15	18,000	13 lbs
	Blade	HP	Wt.	
Husqvarna (handheld)	14"	5	22 lbs	
Husqvarna Walk-Behind Saw	20"	20	580 lbs	

MISC. CONCRETE EQUIPMENT

Power (Concrete) Buggy w/Track Drive, Electric Start, Allen Model AT16, Kohler Engine, 27 hp

Walk-Behind Concrete Trowels, 36", MultiQuip J36H55, 4-Blade, Gas, Honda GX160 Eng., Op Wt. 150 lbs., Rotor Speed 60-130 RPM

Walk-Behind Concrete Trowels, 46", MultiQuip B46H90, 4-Blade, Gas, Honda GX270 Eng., Op Wt. 242 lbs., Rotor Speed 60-130 RPM

LOUISIANA RENTS

TECHNOLOGY AVAILABLE DETAILS

Construction technologies like Grade Control increase your productivity and lower costs.

Caterpillar Production Study of Grade Control

- 101% increase in overall job site productivity
- 43% fuel savings

Grade Control ensures only the correct amount of material is moved, increasing efficiency of bulk and finish earthmoving operations.

Grade control reduces rework and ensures the lowest cost per yard of material moved.

- Increase productivity; save time, fuel, costs
- Move correct amount of material in fewer passes; finish jobs quickly, accurately
- Good Operators become great while great Operators become more productive
- Integrated design uses existing machine components (display, joysticks)

EXCAVATORS 312-349

Add productivity 3D with Cat AccuGrade™ Dual GPS SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

Add productivity 3D with Cat AccuGrade™ Dual GPS SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

DOZERS

D3-5

Available with 2D Slope Assist. Machine blade will maintain a slope value.

SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

D3-6

Add productivity with 2D with Cat AccuGrade™ Dual Laser machine control.

SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

Add productivity with 3D with Cat AccuGrade™ Dual GPS machine control

SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

MOTER GRADERS 12M3, 140M

Available with 2D Cross Slope. Machine will produce Operator assigned grade slope in the dirt.

SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

Add productivity with 2D with Cat AccuGrade™ Dual Laser machine control.

SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

Add productivity with 3D with Cat AccuGrade™ Dual GPS machine control

SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.



RENT A 323 AND GET A GRADE CHECKER FOR FREE

Provides real-time 2D bucket tip positioning guidance in the cab to assist operators with achieving consistent depth and slopes. Operators can cut or fill to grade, with more precision and with more speed. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.



CONSTRUCTION TECHNOLOGY

RENT ONE OR A FLEET OF MACHINES EQUIPPED AND READY TO GO.

We offer Tractors of all sizes with Trimble Dual Mast Laser or GPS Automation.



SMALL/MEDIUM DOZERS

D3K D5K LGP
D4K D6K LGP



MEDIUM/LARGE DOZERS

D6N LGP
D6T LGP



EXCAVATORS

312 323
314 320 EL

CALL YOUR LOUISIANA RENTS SALESMAN OR VISIT YOUR LOCAL LOUISIANA RENTS LOCATION.

BUILT FOR IT.™

1-866-843-7440

Alexandria
Baton Rouge
Belle Chase

Bossier City
Hammond
Lafayette

Lake Charles
Monroe
St. Rose



www.LouisianaRentalStore.com

(800) 766-4070



Louisiana Rents



www.LouisianaRentalStore.com

**Industrial &
Construction Industries.**

**Call our toll free
number for a
location nearest you.**

(800) 766-4070

Alexandria

3575 N Bolton Avenue
Alexandria, LA 71303
(318) 443-2577

Hammond

42440 Jackson Road
Hammond, LA 70403
(985) 340-2820

Baton Rouge

10414 Airline Hwy
Baton Rouge, LA 70816
(225) 296-0020

Lafayette

100 Boyce Drive
Lafayette, LA 70518
(337) 593-0220

Belle Chasse

204 Engineers Road
Belle Chasse, LA 70037
(504) 433-1350

Lake Charles

503 Highway 397
Lake Charles, LA 70615
(337) 437-7117

Bossier City

5410 Kennon Lane
Bossier City, LA 71112
(318) 747-1300

Monroe

2201 Ticheli Road
Monroe, LA 71202
(318) 323-1345

St. Rose

10298 Airline Hwy
St. Rose, LA 70087
(504) 904-7421

