

LOUISIANA RENTS



**Right Tools.
Right Place.
Right Now.**



Louisiana Rents



RENTAL PRODUCTS

T = Technology Enabled  details on back page

SKID STEER LOADERS



Model	T	Net Pwr.	Op. Wt.	Oper. Cap.
Cat 246		73 hp	7,424 lbs	2,150 lbs

Note: Attachment Options: Hydraulic Hammers, Pallet Forks, Grapple Bkts., Brooms, etc.

COMPACT TRACK LOADERS



Model	T	Net Pwr.	Op. Wt.	Oper. Cap.	Gr. Press.
Cat 239		58.9 hp	7,289 lbs	2,050 lbs	4.6 psi
Cat 249		67.1 hp	7,685 lbs	2,300 lbs	4.6 psi
Cat 259		73.2 hp	8,945 lbs	2,900 lbs	4.8 psi
Cat 279		72.9 hp	9,893 lbs	2,935 lbs	4.4 psi
Cat 289		72.9 hp	10,533 lbs	3,800 lbs	4.6 psi
Cat 299		95 hp	10,718 lbs	4,250 lbs	4.4 psi
Cat 299 XHP		106 hp	11,612 lbs	4,650 lbs	5.3 psi

Note: Attachment Options: Hydraulic Hammers, Pallet Forks, Grapple Bkts., Brooms, etc.

BACKHOE LOADERS



Model	Net Pwr	Op. Wt.	Dig. Depth
Cat 415	68 hp	15,207 lbs	14' 3"
Cat 416	88 hp	14,960 lbs	14' 4"
Cat 420	93 hp	15,395 lbs	14' 4"

Note: 420 Backhoe Loaders available w/Hydraulic Hammers, E-Stick, AWD, IT, etc.

T = Technology Enabled  details on back page

WHEEL LOADERS



Model	T	Net Pwr.	Op. Wt.	Bkt. Cap. yd ³
Cat 908		74 hp	14,032 lbs	1.4
Cat 910		96 hp	19,079 lbs	1.7
Cat 914		96 hp	17,910 lbs	1.57 - 1.8
Cat 926		144 hp	28,742 lbs	2.5 - 3.2
Cat 930		156 hp	30,479 lbs	3.24
Cat 938		170 hp	35,104 lbs	3.5
Cat 950 GC		228 hp	41,554 lbs	4.0
Cat 950		230 hp	42,811 lbs	4.0
Cat 966		278 hp	51,080 lbs	5.0
Cat 972		300 hp	54,930 lbs	5.0
Cat 980		386 hp	66,200 lbs	6.5

Note: Most models are available with bucket/forks.

T = Technology Enabled  details on back page

WHEELED EXCAVATORS



Model	T	Net Pwr.	Op. Wt.	Max. Reach/Depth
Cat M316		141 hp	38,559 lbs	30'1" / 20'

T = Technology Enabled  details on back page

LONG REACH EXCAVATORS



Model	T	Net Pwr.	Op. Wt.	Max. Reach/Depth
Cat 320 LR		153 hp	58,500 lbs	51'6" / 38' 4"
Cat 323 LR		161 hp	61,500 lbs	51'6" / 38' 4"
Cat 326 LR		203 hp	64,831 lbs	60'4" / 48' 2"
Cat 329 LR		232 hp	68,180 lbs	60'4" / 48' 2"

T = Technology Enabled  details on back page

EXCAVATORS



Model	T	Net Pwr.	Op. Wt.	Max. Reach/Depth
Cat 313 GC		70 hp	29,300 lbs	28'3" / 19'9"
Cat 312		90 hp	29,430 lbs	28'3" / 19'10"
Cat 313		91 hp	30,430 lbs	28'3" / 19'10"
Cat 314 CR		90 hp	32,600 lbs	28'5" / 19'5"
Cat 315 CR		97 hp	37,794 lbs	28'6" / 19'6"
Cat 316		113 hp	38,801 lbs	30'5" / 21'7"
Cat 320 GC		121 hp	48,300 lbs	32'4" / 22'1"
Cat 320		153 hp	48,940 lbs	35'0" / 24'10"
Cat 321 CR		148 hp	53,704 lbs	32'1" / 22'0"
Cat 325 CR		161 hp	57,100 lbs	32'1" / 22'0"
Cat 323		161 hp	56,000 lbs	32'4" / 22'1"
Cat 326		203 hp	56,580 lbs	33'2" / 22'4"
Cat 335 CR		200 hp	76,578 lbs	34'11" / 22'11"
Cat 329		232 hp	69,958 lbs	35'0" / 23'9"
Cat 330		238 hp	69,950 lbs	35'0" / 23'9"
Cat 336		303 hp	86,600 lbs	38'5" / 26'10"
Cat 349		396 hp	116,600 lbs	42'6" / 29'4"

Note: Excavator Attachment Options: Mechanical and Hydraulic Thumbs, Hydraulic Hammer, Accugrade / GPS, etc., on most models.

T = Technology Enabled  details on back page

DOZERS (TTT)



Model	T	Pwr.	Op. Wt.	Blade
Cat D3K LGP		80 hp	18,525 lbs	VPAT
Cat D4K LGP		92 hp	18,761 lbs	VPAT
Cat D5K LGP		104 hp	21,266 lbs	VPAT
Cat D6K LGP		130 hp	30,750 lbs	VPAT
Cat D6N LGP		150 hp	39,895 lbs	VPAT
Cat D6T LGP		207 hp	53,651 lbs	S
Cat D6T LGP VP		207 hp	53,651 lbs	VPAT

Note: Track-Type Tractor available options: Winch, Canopy, Cab Air, Accugrade & GPS, etc.

T = Technology Enabled  details on back page

MOTOR GRADERS



Model	T	Net Pwr.	Op. Wt.	Blade Length
Cat 120M2		153 hp	41,859 lbs	12'
Cat 12M3		200 hp	44,613 lbs	14'
Cat 140M		220 hp	45,276 lbs	14'

T = Technology Enabled  details on back page

COMPACT EXCAVATORS



Model	T	Net Pwr.	Op. Wt.	Max. Reach/Depth
Cat 300.9 CR		13 hp	2,060 lbs	9'9" / 5'6"
Cat 301.7 CR		17.7 hp	3,726 lbs	12'2" / 7'7"
Cat 302.4		17.7 hp	5,115 lbs	13'2" / 7'9"
Cat 302.7 CR		20.7 hp	5,886 lbs	14'8" / 8'4"
Cat 303 CR		23.5 hp	7,782 lbs	16' / 9'
Cat 303.5 CR		31.6 hp	8,139 lbs	16'6" / 10'4"
Cat 304 CR		40.2 hp	8,838 lbs	16'8" / 11'3"
Cat 305 CR		40.2 hp	11,217 lbs	17'10" / 12'1"
Cat 305.5 CR		44.2 hp	11,938 lbs	18'4" / 12'8"
Cat 307		50.6 hp	16,028 lbs	20'8" / 13'4"
Cat 308 CR SB		65 hp	18,519 lbs	22'11" / 15'5"

PNEUMATIC TIRED COMPACTORS

Model	Net Pwr.	Base Machine Op. Wt.	Rolling Width
Cat CW14	102 hp	10,770 lbs	68"
Cat CW34	133.2 hp	19,842 lbs	82"

T = Technology Enabled  details on back page

VIBRATORY SOIL COMPACTORS - SMOOTH



Model	T	Gross Pwr.	Op. Wt.	Drum Width
Cat CS34		74hp	9,799 lbs	50"
Cat CS44		100 hp	15,961 lbs	66"
Cat CS54		131 hp	23,265 lbs	84"
Cat CS56		157 hp	25,346 lbs	84"

T = Technology Enabled  details on back page

VIBRATORY COMPACTORS - SINGLE DRUM, PADDED



Model	T	Gross Pwr.	Op. Wt.	Drum Width
Cat CP34 with leveling blade		74 hp	11,000 lbs	50"
Cat CP44		100 hp	16,832 lbs	66"
Cat CP54		131 hp	24,539 lbs	84"
Cat CP56		157 hp	25,707 lbs	84"

T = Technology Enabled  details on back page

ASPHALT COMPACTORS



Model	T	Gross Pwr.	Op. Wt.	Drum Width
Cat CB22		36.2 hp	5,629 lbs	39"
Cat CB24		36.2 hp	6,003 lbs	47"
Cat CB34		48.8 hp	8,155 lbs	51"
Cat CB34XW		48.8 hp	8,385 lbs	55"
Cat CB44		100 hp	19,224 lbs	59"
Cat CB54		131 hp	22,564 lbs	67"
Cat CB64B		142 hp	30,380 lbs	79"

ARTICULATED TRUCK



Model	Net Pwr.	Op. Wt. (empty)	Body Cap.
Hydrema 912HM	131 hp	19,500 lbs	7.3yd ³
Cat 725	316 hp	51,191 lbs	26 tons
Cat 730	370 hp	53,131 lbs	31 tons
Cat 740	484 hp	75,967 lbs	43.5 tons

(800) 766-4070

RENTAL PRODUCTS

TELESCOPIC HANDLERS



Model	Net Pwr.	Op. Wt.	Rated Cap.	Lift Ht.
Cat TH255	74 hp	11,000 lbs	5,500 lbs	18' 4"
Cat TH407	92.6 hp	17,507 lbs	7,275 lbs	24' 0"
Cat TL642	100.6 hp	21,245 lbs	6,500 lbs	42' 0"
Cat TL943	111.3 hp	27,125 lbs	9,000 lbs	43' 0"
Cat TL1055	142 hp	34,160 lbs	10,000 lbs	55' 1"
Cat TH514	101 hp	24,890 lbs	11,021 lbs	44' 9"
Cat TL1255	142 hp	35,860 lbs	12,000 lbs	54' 3"

AIR COMPRESSORS

Model	Duty Cycle	CFM	Engine Make	Unit Wt.
Sullair 185/BDPQ	100 psi	185	Kubota 1803	4,045 lbs
Sullair 375CH/AF/DPQ	100 psi	375	Cat CA4	4,475 lbs
Atlas Copco XATS 400 CD7	100 psi	400	Cat C4.4	4,045 lbs

BROOMS



Model	HorsePwr.	Rotation Speed	Travel Speed	Broom Width
CR-350 Broce Broom	80 hp	250 RPM	0-12	8'

Note: All CR-350 broom sweepers come equipped with cab/air and front blade.

TRENCHERS



Model	HorsePwr.	Max Dig Depth	Op. Wt.
Ditch Witch RT45 Ride-On	39 hp	63"	4,200 lbs

RAMMERS & PLATE COMPACTORS



Model	Impact Force Lbs	Engine	HP	Op. Wt.
MultiQuip MTX70 Rammer	3,350 lbs	Honda GX100	2.8	165 lbs
MultiQuip MVC88VGHW Plate Compactor	3,450 lbs	Honda GX160	4.8	218 lbs

WATER TRUCKS



Model	Tank Size
Diesel Water Truck	2,000 gal. Tank 4,000 gal. Tank
Cat 740 Off Road Truck	5,000 gal. Tank

MANLIFTS - STRAIGHT BOOMS



Model	Plf. Ht.	Whlbase Width	Lft. Cap.	Unit Wt.
Genie S40	40'	7' 3"	500 lbs	12,320 lbs
JLG 400S	40'	7' 8"	500 lbs	13,425 lbs
Genie S45	45'	7' 3"	500 lbs	14,790 lbs
JLG 460SJ	46'	7' 7"	500 lbs	16,370 lbs
Genie S60	60'	8' 3"	500 lbs	20,740 lbs
JLG 600S	60'	8' 1"	500 lbs	21,800 lbs
Genie S65	65'	9'	500 lbs	28,400 lbs
JLG 660SJ	66' 8"	8' 1"	500 lbs	26,650 lbs
Genie S80X	80'	9' 4"	500 lbs	35,500 lbs
JLG 800S	80'	10'	500 lbs	33,200 lbs
Genie S85	85'	9' 4"	500 lbs	38,000 lbs
JLG 860SJ	86'	10'	500 lbs	36,400 lbs
JLG 1200 SJP	120'	12' 6"	500 lbs	40,900 lbs

Note: All Models are Diesel, 4WD units.

GENERATORS



Model	Engine	Watts Max / Cont	Voltage	HP/(kW)	Op. Wt.
MultiQuip	Honda GA6HA	6000/5000	120V/240V	9.5(7.1)	194 lbs

MANLIFTS - ARTICULATING BOOMS

Model	Plf. Ht.	Whlbase Width	Lft. Cap.	Unit Wt.
Genie Z-45	45' 10"	6' 8"	500 lbs	13,400 lbs
JLG 450AJ	45'	6' 6"	500 lbs	16,000 lbs
Genie Z-60	60' 4"	8' 3"	500 lbs	22,520 lbs
JLG 600AJ	60' 7"	8' 0"	500 lbs	23,050 lbs
Genie Z-80	78'	9' 4"	500 lbs	37,500 lbs
JLG 800AJ	80'	10'	500 lbs	34,300 lbs

Note: All Models are Diesel, 4WD units.

TRENCH ROLLERS



Model	Centrifugal Force LBS	Drum Width	HP	Op. Wt.
Bomag BMP 8500	8,000 lbs/ 16,000 lbs	24"-33.5" (flex drum)	19.4	3,517 lbs

WALK BEHIND COMPACT UTILITY LOADER



Model	Net Pwr.	Op. Wt.
Toro Dingo TX525	23.3 hp	1,904 lbs

FORK LIFTS



Model	Car Width	Max. Fork Elev.	Forks	Weight
Mitsubishi FG 25N-LE	39.5"	163"	36"	5,000 lbs

LIGHT TOWERS



Model	Wattage	kW	Tower Ht.
Generac MLT 6SM	4-1000 Watt Lights	6kW	23'
Allmand NL Pro II	4-1250 Watt Lamps	8kW	30'
Magnum MLT3060	4-1000 Watt Lights	6kW	30'

ELECTRIC SCISSOR LIFTS



Model	Plf. Ht.	Whlbase Width	Lft. Cap.	Unit Wt.
Genie GS1930	19'	4' 4"	500 lbs	2,702 lbs
JLG 1930ES	18' 9"	5' 3"	500 lbs	2,750 lbs
JLG 2630ES	25' 6"	6' 2"	500 lbs	4,750 lbs
Genie GS2632	26'	6'	500 lbs	5,520 lbs
Genie GS3246	32'	6' 2"	700 lbs	5,211 lbs
JLG 3246ES	31' 9"	6' 10"	700 lbs	4,780 lbs

WHY RENT FROM US?

- ✓ Large Inventory
- ✓ Youngest Fleet in Louisiana
- ✓ Quick Turnaround
- ✓ Daily, Weekly, Monthly or Longer Rental Terms Available
- ✓ Competitive Rates
- ✓ On-Site Delivery
- ✓ Construction Technology Readily Available
- ✓ Same Day Shipping on 96% of Parts Ordered
- ✓ Strategic Customer to Representative Ratio

LOUISIANA RENTS TECHNOLOGY AVAILABLE DETAILS

Construction technologies like Grade Control increase your productivity and lower costs.

Caterpillar Production Study of Grade Control

- 101% increase in overall job site productivity
- 43% fuel savings

Grade Control ensures only the correct amount of material is moved, increasing efficiency of bulk and finish earthmoving operations.

Grade control reduces rework and ensures the lowest cost per yard of material moved.

- Increase productivity; save time, fuel, costs
- Move correct amount of material in fewer passes; finish jobs quickly, accurately
- Good Operators become great while great Operators become more productive
- Integrated design uses existing machine components (display, joysticks)

(800) 766-4070

RENTAL PRODUCTS

SKID STEER LOADERS 246 COMPACT TRACK LOADERS 239-299

-  Available with 2D Cat Grade Control Dual Laser Machine Control. Machine will produce Operator assigned grade slope in the dirt. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.
-  Add productivity with 3D with Cat AccuGrade™ Dual GPS machine control. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

WHEEL LOADERS 908-980

-  Load precisely, optimize production and reduce unnecessary truck wear, damage and fines for overloading. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.
-  Add productivity with 3D with Cat AccuGrade™ Dual GPS machine control. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

EXCAVATORS 307-349

-  Load precisely, optimize production and reduce unnecessary truck wear, damage and fines for overloading. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.
-  Available with 2D Depth and Slope. Machine bucket will maintain a slope value. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.
-  Add productivity 3D with Cat AccuGrade™ Dual GPS. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

DOZERS D3-6

-  Available with 2D Slope Assist. Machine blade will maintain a slope value. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.
-  Add productivity with 2D with Cat AccuGrade™ Dual Laser machine control. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.
-  Add productivity with 3D with Cat AccuGrade™ Dual GPS machine control. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

MOTOR GRADERS 120M2, 12M3, 140M

-  Available with 2D Cross Slope. Machine will produce Operator assigned grade slope in the dirt. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.
-  Add productivity with 2D with Cat AccuGrade™ Dual Laser machine control. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.
-  Add productivity with 3D with Cat AccuGrade™ Dual GPS machine control. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.

COMPACTORS SMOOTH CS34-CS56 PADDED CP34-CP56 ASPHALT CB22-CB64

-  Meet compaction targets faster, more uniformly and in fewer passes. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.



RENT A 323 AND GET A GRADE CHECKER FOR FREE

Provides real-time 2D bucket tip positioning guidance in the cab to assist operators with achieving consistent depth and slopes. Operators can cut or fill to grade, with more precision and with more speed. SITECH Louisiana's Certified Trimble Instructors will provide job site Training to ensure productivity gains.



USE YOUR OWN OR RENT FROM US.

RENT ONE OR A FLEET OF MACHINES EQUIPPED AND READY TO GO.

We offer equipment of all sizes with Trimble Dual Mast Laser or GPS Automation.



DOZERS



EXCAVATORS



COMPACTORS



SKID STEERS

**CALL YOUR LOUISIANA RENTS SALESMAN OR VISIT YOUR LOCAL
LOUISIANA RENTS LOCATION.**

(800) 766-4070

Louisiana Rents



www.LouisianaRentalStore.com

**Serving: Industrial &
Construction Industries.**

**Call our toll free
number for a
location nearest you.**

(800) 766-4070

Baton Rouge

10414 Airline Hwy
Baton Rouge, LA 70816
(225) 296-0020

Lafayette

100 Boyce Drive
Lafayette, LA 70518
(337) 593-0220

Belle Chasse

204 Engineers Road
Belle Chasse, LA 70037
(504) 433-1350

Lake Charles

503 Highway 397
Lake Charles, LA 70615
(337) 437-7117

Bossier City

5410 Kennon Lane
Bossier City, LA 71112
(318) 747-1300

St. Rose

10298 Airline Hwy
St. Rose, LA 70087
(504) 904-7421

